# Data Sheet
## Fujitsu STYLISTIC Q704 Hybrid Tablet PC

Your Toughest Business Performer

**Fujitsu recommends Windows 8.1 Pro.**

The FUJITSU STYLISTIC® Q704 helps you to get the job done, regardless of location and weather conditions. Its 31.8 cm (12.5-inch) Full HD display with pen and touch input and 4th gen Intel® Core™ i7 processor with vPro™ technology ensure excellent performance. A semi-ruggedized design and optional 4G/LTE and NFC help you achieve your tasks, regardless of the location and weather conditions. Enterprise-class security features, two different dockable keyboards and an optional cradle mean that you can work in comfort and security.

**Slim and semi-rugged design**
Protect your tablet from environmental conditions. Work anywhere despite exposing the tablet to rain, humidity or dust with minimal component damage.

**Enterprise ready**
Windows® 8.1 Professional operating system for multitasking, security and compatibility

Seamless deployment in commercial environments. Easily connect with and use established Windows-based applications

**Content creation and collaboration**
Give your work a personal touch and enjoy the benefits of precise handwriting recognition and multiple-touch display

■ Data entry via pen-based handwriting recognition or onscreen keyboard with predictive text on a 31.8 cm (12.5-inch)

■ Full HD display, dual performance mode for extended runtime, full USB 3.0 port and optional extension cables via microUSB

**User experience and connectivity**
Be available practically anywhere; wireless connectivity even if there is no hotspot nearby

■ Front/rear webcams, integrated Wi-Fi, Bluetooth® and optional embedded 4G/LTE, WLAN, GPS, optional

■ Near Field Communication (NFC), 2 convenient dockable keyboard options and cradle option

**Manageability and security**
Easy administration and protection against unauthorized third-party access

■ Latest 4th gen. Intel® Core™ i7 processor with Intel vPro™ technology, fingerprint sensor, embedded TPM and Advanced Theft Protection option

■ Optional SmartCard Shell

# Components

## Fujitsu recommends Windows 8.1 Pro.

| | |
|---|---|
| **Processor** | Intel® 4th gen Core™ i7-4600U / 8GB / vPro |
| | Intel® 4th gen Core™ i5-4300U / 4GB / vPro |
| | Intel® 4th gen Core™ i5-4200U / 4GB / non vPro |
| | Intel® 4th gen Core™ i3-4010U / 4GB / non vPro |
| **Operating systems** | |
| **Operating system** | Windows® 8.1 Pro 64-bit |
| | Windows® 7 Professional 64-bit |
| **Base unit memory** | |
| **Supported capacity RAM** | Core i3/i5@ 4GB, Core i7@8GB |
| **Supported capacity RAM (max.)** | |
| **Memory slot type** | LPDDR3 (1600 MHz) |
| **Hard disk drives[1] (internal)** | SSD mSATA, 256 GB, Opal TCG |
| | SSD mSATA, 128 GB, Opal TCG |
| | SSD mSATA, 64 GB, FDE |
| **Hard disk notes** | One Gigabyte equals one billion bytes, when referring to hard disk drive capacity. |
| | Accessible capacity may vary, also depending on used software. |
| | Up to 20 GB of HDD space is reserved for system recovery |
| | Internal HDD interface: S-ATA III (6GBit/s) |
| **WLAN (optional)** | Intel® Dual Band Wireless-N 7260 2x2 AGN |
| **Wireless[2] technologies** | |
| **Antennas** | 2x dual band for WLAN, 2x for UMTS/LTE, Bluetooth shared with WLAN |
| **Bluetooth** | Bluetooth® 4.0 |
| **WLAN notes** | Import and usage according to country-specific regulations. |
| **UMTS/GPS notes** | Including GPS functionality |
| **NFC** | optional |
| **Bluetooth** | Bluetooth 4.0 LE integrated on WLAN module |
| **3G/4G** | optional 4G Sierra Wireless EM7355 with optional[2] GPS (avail in 2014) |
| **GPS** | Integrated GPS module[3] |
| **Display** | 31.8 cm (12.5-inch), LED backlight, (Full HD), anti-glare display, magnesium, 1920 x 1080 pixel |
| **General system information** | |
| **Chipset** | Integrated |
| **Chipset notes** | Supports iAMT 9.0, Intel® vPro™ requires Core™ i5-43xx & i7-46xx CPU, Intel WLAN 7260 a/b/g/n, TPM module |
| **BIOS features** | BIOS Flash EPROM |
| | BIOS based on Phoenix SecureCore |
| **Display** | |
| **Display** | 31.8 cm (12.5-inch), IPS dual digitizer, Full HD, Glossy display, 1920 x 1080 pixel |
| **Display notes** | Wide-view bright LED display (for enhanced outdoor viewing). |
| | Integrated ambient light sensor for automatic backlight adjustment to the working environment. |
| **Sensors** | 3-axis Accelerometer |
| | Gyroscope |
| | Ambient Light Sensor |
| | Magnetic Field Sensor |
| **Aspect ratio** | 16:9 |
| **Brightness - typical** | 352 cd/m² |
| **Digitizer** | Dual Digitizer for pen input plus capacitive 10-finger multi-touch screen |
| **Ambient light sensor** | Integrated |
| **Ambient light sensor notes** | While enabled, the ambient light sensor automatically adjusts the display backlight |
| **Viewing angle (h/v) - typical** | 178°/178° |
| **Graphics** | |
| **TFT resolution (HDMI)** | 1920 x 1080 pixel |

# Fujitsu recommends Windows 8.1 Pro.

| | |
|---|---|
| **TFT resolution (VGA)** | 1920 x 1080 pixel |
| **Max. resolution external display** | up to 1920 x 1080 |
| **Graphics brand name** | Intel® HD Graphics 4400 |
| **Graphics features** | 3 Display Support HDCP support DirectX 11 |
| **Graphics notes** | Shared memory depending on main memory size and operating system<br>3D accelerator |
| **Interfaces** | |
| **Memory card slots** | 1 (microSD up to 2GB, microSDHC up to 32GB, microSDXC up to 64GB) |
| **SIM card slot** | 1 (usable only with 4G/LTE) |
| **USB 3.0 total** | 1 |
| **Micro USB 2.0** | 1 |
| **USB 2.0 total** | |
| **DC-in** | 1 |
| **Audio: line-in / line-out** | 1 |
| **Internal microphones** | 1 (digital) |
| **Docking connector for Port Replicator** | 2 |
| **Wired communication** | |
| **LAN** | via cradle or optional cable accessory Intel® 218LM |
| **Multimedia** | |
| **Audio type** | On board |
| **Audio codec** | Realtek ALC283 |
| **Audio features** | Built-in microphone, 2x built-in speakers (stereo) |
| **Camera** | Front camera 2 megapixel, rear camera 5 megapixel with autofocus and photo LED |
| **Power supply** | |
| **AC adapter** | 19 V / 65 W (3.42 A) |
| **Rated voltage range** | 100 V - 240 V (AC Input) |
| **Rated frequency range** | 50 Hz - 60 Hz |
| **1st battery** | Lithium Polymer battery 3-cell, 46 Wh |
| **Runtime 1st battery**[4] | 11 hours and 40 minutes |
| **Battery charging time** | ~ 140 min. |
| **Dimensions / Weight / Environmental** | |
| **Dimensions (W x D x H)** | Standard Shell tablet only: 12.19 x 7.85 x 0.47 inches (309.6 x 199.3 x 11.9 mm)<br>Standard Shell tablet w/keyboard cover: 12.19 x 7.85 x 0.79 inches (309.6 x 199.3 x 20 mm)<br>Standard Shell tablet w/keyboard docking station: 12.19 x 7.85 x 1.22 inches (309.6 x 199.3 x 31.1 mm)<br>Smart Card Shell tablet only: 12.19 x 7.85 x 0.74 inches (309.6 x 199.3 x 18.8 mm)<br>Smart Card Shell tablet w/keyboard cover: 12.19 x 7.85 x 1.09 inches (309.6 x 199.3 x 27.8 mm)<br>Smart Card Shell tablet w/keyboard docking station:  12.19 x 7.85 x 1.31 inches (309.6 x 199.3 x 33.3 mm) |
| **Weight** | Standard Shell tablet only: 2.16 lbs (.98 kg)<br>Standard Shell tablet w/keyboard cover: 3.68 lbs (1.67 kg)<br>Standard Shell tablet w/keyboard docking station: 4.72 lbs (2.14 kgs)<br>Smart Card Shell tablet only: 2.38 lbs (1.08 kgs)<br>Smart Card Shell tablet w/keyboard cover: 3.90 lbs (1.77 kgs)<br>Smart Card Shell tablet w/keyboard docking station: 4.94 lbs (2.24 kgs) |
| **Weight notes** | Weight may vary depending on actual configuration (including battery pack) |
| **Operating ambient temperature** | 41 – 95° F  (5 - 35 °C) |
| **Operating relative humidity** | Running: 20 - 85%; Packed 8 - 85% (relative humidity, non-condensing) |
| **Additional Software** | |
| **Additional software (preinstalled)** | Fujitsu System Restore and Recovery<br>Additional software (Depending on your configuration)<br>ShockSensor Utility |

# Fujitsu recommends Windows 8.1 Pro.

|  | Power Saving Utility |
|---|---|
|  | OmniPass Fingerprint application |
|  | McAfee® Multi-Access, (60 days trial version) |
|  | Office Home and Student 2013 and Office Home and Business 2013 |

| Security | |
|---|---|
| User Security | User and supervisor BIOS password |
|  | Hard disk password |
|  | Integrated fingerprint sensor (optional) |
|  | Integrated Smart Card slot (optional) |

| Compliance | |
|---|---|
|  | FCC Part 15B Class B and FCC Part 15C; FCC Part 15E; FCC Part 22/24/27; IC ICES-003 Class B and RSS-210; UL-cUL Listed; CE Marking; CB Generic Report, RF Human exposure Standard; ENERGY STAR® Qualified |

| Cradle | |
|---|---|
| DC-in | 1 (19V) |
| USB 3.0 total | 4 |
| Ethernet (RJ-45) | 1 ( 1000base) |
| HDMI | 1 (Maximum resolution 1920 x 1080) |
| VGA | 1 (Maximum resolution 1920 x 1080) |

| Warranty[5] | |
|---|---|
| Standard Warranty | One Year International Limited Warranty, 24/7 technical support; Fujitsu extended service plans available |
| Service Weblink | http://www.fujitsu.com/us/support/ |

Recommended Accessories

Folio Cover

Keyboard Docking Station

Keyboard Cover

Performance Docking Cradle

Hand Strap

Additional Stylus

Additional AC Adapter

Notes

1.  One gigabyte (GB) = one billion bytes; accessible capacity will be less and actual capacity depends on the operating environment and formatting.
2.  Wireless service is not included with your notebook/ tablet PC. Activation, credit approval, and 2-year minimum commitment required. Monthly service fee, taxes, surcharges are extra. Actual connectivity is subject to wireless service provider's coverage area and may be affected by equipment, topography, signal strength, environmental considerations, and other factors. Service may vary significantly within buildings. Coverage not available everywhere — see wireless carrier's coverage map for details. Terms and Conditions and additional restrictions apply. A GPS application (compatible with NMEA v 3.1 or later) must be purchased separately.
3.  A GPS application that supports Windows Sensor and Location APIs must be purchased separately.
4.  Battery life tested using MobileMark 2007 and Windows® 7 operating system, and may include audio muted and power saving utility enabled. Battery life will vary depending on the product configuration, product model, application loaded on the product, power management settings on the product, Operating System, and the product features used by the customer. As with all batteries, the maximum capacity of the installed batteries will decrease with time, usage, and how often the batteries are charged by the user.
5.  Service and warranty turnaround time may vary by country and product. The International warranty is only valid for products purchased in North, Central, and South America.

# About Fujitsu America

Fujitsu America, Inc., is a leading ICT solutions provider for organizations in the U.S., Canada and the Caribbean. Fujitsu enables clients to meet their business objectives through integrated offerings and solutions, including consulting, systems integration, managed services, outsourcing and cloud services for infrastructure, platforms and applications; data center and field services; and server, storage, software and mobile/tablet technologies.
For more information, please visit: http://solutions.us.fujitsu.com/ and http://twitter.com/fujitsuamerica

### Fujitsu OPTIMIZATION Services

In addition to Fujitsu STYLISTIC Q704, Fujitsu provides a range of platform solutions. They combine reliable Fujitsu products with the best in services, know-how and worldwide partnerships.

#### Fujitsu Portfolio
Build on industry standards, Fujitsu offers a full portfolio of IT hardware and software products, services, solutions and cloud offering, ranging from clients to datacenter solutions and includes the broad stack of Business Solutions, as well as the full stack of Cloud offering. This allows customers to leverage from alternative sourcing and delivery models to increase their business agility and to improve their IT operation's reliability.

#### Computing Products
www.fujitsu.com/global/services/computing/

#### Software
www.fujitsu.com/software/

### More Information
Learn more about Fujitsu STYLISTIC Q704, please contact your Fujitsu sales representative or Fujitsu Business partner, or visit our website.
http://solutions.us.fujitsu.com/

### Disclaimer
Technical data are subject to modification and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designationsmay be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.

### Fujitsu green policy innovation
Fujitsu Green Policy Innovation is our worldwide project for reducing burdens on the environment. Using our global know-how, we aim to resolve issues of environmental energy efficiency through IT. Please find further information at:
www.fujitsu.com/global/about/environment/